Understand the Pros & Cons of Asynchrony



Douglas C. Schmidt

<u>d.schmidt@vanderbilt.edu</u>

www.dre.vanderbilt.edu/~schmidt

Professor of Computer Science

Institute for Software Integrated Systems

Vanderbilt University Nashville, Tennessee, USA



Learning Objectives in this Part of the Lesson

- Motivate the need for Java futures by understanding the pros & cons of synchrony
- Motivate the need for Java futures by understanding the pros & cons of asynchrony




 Asynchrony is a means of concurrent programming where caller does not block waiting for callee to complete




See en.wikipedia.org/wiki/Asynchrony_(computer_programming)

- Asynchrony is a means of concurrent programming where caller does not block waiting for callee to complete
 - An async call immediately returns a future & while the computation runs "in the background" concurrently




- Asynchrony is a means of concurrent programming where caller does not block waiting for callee to complete
 - An async call immediately returns a future & while the computation runs "in the background" concurrently
 - i.e., independent of the calling thread's flow of control





See en.wikipedia.org/wiki/Control_flow


- Asynchrony is a means of concurrent programming where caller does not block waiting for callee to complete
 - An async call immediately returns a future & while the computation runs "in the background" concurrently
 - The future is triggered when the computation completes




Result get result ()

See upcoming lessons on "Overview of Java Futures"

- Asynchrony is a means of concurrent programming where caller does not block waiting for callee to complete
 - An async call immediately returns a future & while the computation runs "in the background" concurrently
 - The future is triggered when the computation completes
 - The client may or may not block awaiting the results, depending on various factors




e.g., Android's AsyncTask framework performs background operations & publishes results on the user-interface (UI) thread without having to manipulate threads and/or handlers



• e.g., Android's AsyncTask framework performs background operations & publishes results on the user-interface (UI) thread without having to manipulate threads and/or handlers

 AsyncTask executes long-duration operations asynchronously in one or more background threads




 e.g., Android's AsyncTask framework performs background operations & publishes results on the user-interface (UI) thread without having to

manipulate threads and/or handlers

 AsyncTask executes long-duration operations asynchronously in one or more background threads


 Blocking operations in background threads don't block the calling (e.g., UI) thread



See developer.android.com/training/multiple-threads/communicate-ui

e.g., Android's AsyncTask framework performs background operations & publishes results on the user-interface (UI) thread without having to manipulate threads and/or handlers

- AsyncTask executes long-duration operations asynchronously in one or more background threads
- Blocking operations in background threads don't block the calling (e.g., UI) thread
- The calling (UI) thread can be notified upon completion, failure, or progress of the async task



AsyncTask shields client code from details of programming futures

• Pros of asynchronous operations



- Pros of asynchronous operations
 - Responsiveness
 - A calling thread needn't block waiting for the async request to complete



- Pros of asynchronous operations
 - Responsiveness
 - Elasticity
 - Multiple requests can run scalably & concurrently on multiple cores





See en.wikipedia.org/wiki/Elasticity (cloud computing)

- Pros of asynchronous operations
 - Responsiveness
 - Elasticity
 - Multiple requests can run scalably
 & concurrently on multiple cores
 - Able to better leverage parallelism available in multi-core systems



- Pros of asynchronous operations
 - Responsiveness
 - Elasticity
 - Multiple requests can run scalably
 & concurrently on multiple cores
 - Able to better leverage parallelism available in multi-core systems
 - Elasticity is particularly useful to auto-scale computations in cloud environments





• Cons of asynchronous operations




- Cons of asynchronous operations
 - Unpredictability
 - Response times may not unpredictable due to non-determinism of async operations



- Cons of asynchronous operations
 - Unpredictability
 - Response times may not unpredictable due to non-determinism of async operations
 - Results can occur in a different order than the original calls were made






Additional time & effort may be required if results must be ordered somehow

- Cons of asynchronous operations
 - Unpredictability
 - Complicated programming & debugging



- Cons of asynchronous operations
 - Unpredictability
 - Complicated programming & debugging
 - The patterns & best-practices of asynchronous programming are not well understood






See dzone.com/articles/parallel-and-asynchronous-programming-in-java-8

- Cons of asynchronous operations
 - Unpredictability
 - Complicated programming & debugging
 - The patterns & best-practices of asynchronous programming are not well understood
 - Async programming is tricky without proper abstractions

```
function register()
   LE (leapty(U.7007)) (
        Selbry w. 77 y
        if (5 FOST) weer name (1) (
           If 10 POST( mer password new 1) (
               If 48_POST("sent_persond_how") --- 8_POST("nest_personnd_nepert")) &
                    if (strleng) Post('uses passwood new'l) > 5) (
                       1f (etries)5 POST('user name')) < 65 46 strict() POST('seer name')) > 15 (
                            if (prog_match('/'[a-s\d](7.64)4/1', 6_Pour('usor_namo'))) {
                               From: " read user(# FORT( oner natural);
                               if (tieset(funny | men | none | 183. 6
                                    Lf #4 90071 'user_medl' 13 &
                                        Af intries; POOT! were meal! | } 4 513 4
                                            of (filter_vert | 2007] 'seer_seat! | Filter_validate_matth; (
                                                create_saecili
                                                P_SESSION['meg'] - 'Sec are now registered so please ingin's
                                                beedect 'Location: ' . I SERVER '209 SELP'11:
                                                exiac):
                                             else Hong a 'five must provide a ralid small address';
                                        } else hoop + "finel! burt he less than 64 cherecters";
                                    ) else from a "Small cannot be empty";
                                ) else dong - 'Tourname already sicists';
                            ) else from - 'Consume must be only a-r, A-I, S-5';
                         else than - 'Durrann must be between 7 and 64 characters's
                    I also Inng . 'Dissected must be at least & chargeters's
                ) else Snoy - 'Patawords do not match's
           I also fray - 'Empty Peasword';
        alse four - 'fruty Sourcome's
       speed - I'gen' lentough a
   swines register_form();
                                                             icompile.eladkarako.com
```

- Cons of asynchronous operations
 - Unpredictability
 - Complicated programming & debugging
 - The patterns & best-practices of asynchronous programming are not well understood
 - Errors can be hard to track due to unpredictability




See www.jetbrains.com/help/idea/tutorial-java-debugging-deep-dive.html

- Cons of asynchronous operations
 - Unpredictability
 - Complicated programming & debugging
 - The patterns & best-practices of asynchronous programming are not well understood
 - Errors can be hard to track due to unpredictability




Again, this non-determinism is a general problem with concurrent processing

 Two things are necessary for the pros of asynchrony to outweigh the cons




- Two things are necessary for the pros of asynchrony to outweigh the cons
 - Performance should improve to offset the increased complexity of programming & debugging





See upcoming lesson on "Java Completable Futures ImageStreamGang Example"

- Two things are necessary for the pros of asynchrony to outweigh the cons
 - Performance should improve to offset the increased complexity of programming & debugging
 - An asynchronous programming model should reflect the key principles of the reactive paradigm



 Java's completable futures framework provides an asynchronous concurrent programming model that performs well & supports the reactive paradigm

```
Class CompletableFuture<T>
java.lang.Object
iava.util.concurrent.CompletableFuture<T>
```

All Implemented Interfaces:

CompletionStage<T>, Future<T>

public class CompletableFuture<T>

```
extends Object
implements Future<T>, CompletionStage<T>
A Future that may be explicitly completed (setting its value and
```

status), and may be used as a CompletionStage, supporting dependent functions and actions that trigger upon its completion.

When two or more threads attempt to complete, completeExceptionally, or cancel a CompletableFuture, only one of them succeeds.

In addition to these and related methods for directly manipulating status and results, CompletableFuture implements interface CompletionStage with the following policies:

End of Understand the Pros & Cons of Asynchrony