Learn How to Implement Behaviors in the Java Parallel ImageStreamGang Case Study

Douglas C. Schmidt

d.schmidt@vanderbilt.edu

www.dre.vanderbilt.edu/~schmidt

Professor of Computer Science

Institute for Software Integrated Systems

Vanderbilt University

Nashville, Tennessee, USA

Learning Objectives in this Part of the Lesson

- Understand the structure/functionality of the ImageStreamGang app
- Visualize how Java parallel streams are applied to the ImageStreamGang app
- Learn how to implement parallel streams behaviors of ImageStreamGang

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages =
  urls
    .parallelStream()
    .filter(not(this::urlCached))
    .map(this::blockingDownload)
    .flatMap(this::applyFilters)
    .collect(toList());

  System.out.println(TAG
        + "Image(s) filtered = "
        + filteredImages.size());
}
```

See github.com/douglascraigschmidt/LiveLessons/blob/master/ImageStreamGang

Implementing a Parallel Stream in ImageStreamGang

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
     .parallelStream()
     .filter(not(this::urlCached))
     .map(this::blockingDownload)
     .flatMap(this::applyFilters)
     .collect(toList());

  System.out.println(TAG
        + "Image(s) filtered = "
        + filteredImages.size());
}
```

See imagestreamgang/streams/ImageStreamParallel.java

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

Get a list of URLs

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
     .parallelStream()
     .filter(not(this::urlCached))
     .map(this::blockingDownload)
     .flatMap(this::applyFilters)
     .collect(toList());

  System.out.println(TAG
        + "Image(s) filtered = "
        + filteredImages.size());
}
```

getInput() is defined by the underlying StreamGang framework

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
     .parallelStream()
     .filter(not(this::urlCached))
     .map(this::blockingDownload)
     .flatMap(this::applyFilters)
     .collect(toList());

  System.out.println(TAG
        + "Image(s) filtered = "
        + filteredImages.size());
}
```

Convert a collection into a parallel stream

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

Return an output stream consisting of the URLs in the input stream that are not already cached

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
     .parallelStream()
     .filter(not(this::urlCached))
     .map(this::blockingDownload)
     .flatMap(this::applyFilters)
     .collect(toList());

  System.out.println(TAG
        + "Image(s) filtered = "
        + filteredImages.size());
}
```

See docs.oracle.com/javase/8/docs/api/java/util/stream/Stream.html#filter

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
     .parallelStream()
     .filter(not(this::urlCached))
     .map(this::blockingDownload)
     .flatMap(this::applyFilters)
     .collect(toList());

  System.out.println(TAG
        + "Image(s) filtered = "
        + filteredImages.size());
}
```

Return an output stream consisting of the URLs in the input stream that are not already cached



# of output stream elements will be <= # of input stream elements

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
     .parallelStream()
     .filter(not(this::urlCached))
     .map(this::blockingDownload)
     .flatMap(this::applyFilters)
     .collect(toList());

  System.out.println(TAG
        + "Image(s) filtered = "
        + filteredImages.size());
}
```

```
boolean urlCached(URL url) {
  return mFilters
    .stream()
    .anyMatch(filter ->
       urlCached(url,
                 filter
                 .getName()));
}
```

Determine whether this url has been downloaded to an image & had filters applied to it yet

See imagestreamgang/streams/ImageStreamGang.java

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
    .parallelStream()
    .filter(not(this::urlCached))
    .map(this::blockingDownload)
    .flatMap(this::applyFilters)
    .collect(toList());

  System.out.println(TAG
        + "Image(s) filtered = "
        + filteredImages.size());
}
```

```
boolean urlCached(URL url,
          String filterName) {
  File file =
    new File(getPath(),
             filterName);

  File imageFile =
    new File(file,
          getNameForUrl(url));

  return imageFile.exists();
}
```

Check if a file with this name already exists

See imagestreamgang/streams/ImageStreamGang.java

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
     .parallelStream()
     .filter(not(this::urlCached))
     .map(this::blockingDownload)
     .flatMap(this::applyFilters)
     .collect(toList());

  System.out.println(TAG
        + "Image(s) filtered = "
        + filteredImages.size());
}
```

There are clearly better ways of implementing an image cache!

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
     .parallelStream()
     .filter(not(this::urlCached))
     .map(this::blockingDownload)
     .flatMap(this::applyFilters)
     .collect(toList());

  System.out.println(TAG
        + "Image(s) filtered = "
        + filteredImages.size());
}
```

Return an output stream consisting of the images that were downloaded from the URLs in the input stream

See docs.oracle.com/javase/8/docs/api/java/util/stream/Stream.html#map

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
     .parallelStream()
     .filter(not(this::urlCached))
     .map(this::blockingDownload)
     .flatMap(this::applyFilters)
     .collect(toList());

  System.out.println(TAG
        + "Image(s) filtered = "
        + filteredImages.size());
}
```

Return an output stream consisting of the images that were downloaded from the URLs in the input stream

# of output stream elements must match the # of input stream elements

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
     .parallelStream()
     .filter(not(this::urlCached))
     .map(this::blockingDownload)
     .flatMap(this::applyFilters)
     .collect(toList());

  System.out.println(TAG
        + "Image(s) filtered = "
        + filteredImages.size());
}
```

```
Image blockingDownload
                (URL url) {
  return BlockingTask
   .callInManagedBlock
     (() ->
      downloadImage(url));
}
```

Downloads content from a url & converts it into an image

See imagestreamgang/streams/ImageStreamParallel.java

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
     .parallelStream()
     .filter(not(this::urlCached))
     .map(this::blockingDownload)
     .flatMap(this::applyFilters)
     .collect(toList());

  System.out.println(TAG
         + "Image(s) filtered = "
         + filteredImages.size());
}
```

```
Image blockingDownload
                (URL url) {
  return BlockingTask
   .callInManagedBlock
     (() ->
      downloadImage(url));
}
```

Uses a "managed blocker" to ensure sufficient threads are in the common fork-join pool

See lesson on "*The Java Fork-Join Pool: Applying the ManagedBlocker Interface*"

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
     .parallelStream()
     .filter(not(this::urlCached))
     .map(this::blockingDownload)
     .flatMap(this::applyFilters)
     .collect(toList());

  System.out.println(TAG
        + "Image(s) filtered = "
        + filteredImages.size());
}
```

```
Image blockingDownload
                (URL url) {
  return BlockingTask
   .callInManagedBlock
     (() ->
      downloadImage(url));
}
```

I/O-bound tasks on an N-core CPU typically run best with N(1+WT/ST) threads (WT = wait time & ST = service time)*

See www.ibm.com/developerworks/library/j-jtp0730

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
     .parallelStream()
     .filter(not(this::urlCached))
     .map(this::blockingDownload)
     .flatMap(this::applyFilters)
     .collect(toList());

  System.out.println(TAG
        + "Image(s) filtered = "
        + filteredImages.size());
}
```

Return an output stream containing the results of applying a list of filters to each image in the input stream & storing the results in the file system

See docs.oracle.com/javase/8/docs/api/java/util/stream/Stream.html#flatMap

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
     .parallelStream()
     .filter(not(this::urlCached))
     .map(this::blockingDownload)
     .flatMap(this::applyFilters)
     .collect(toList());

  System.out.println(TAG
        + "Image(s) filtered = "
        + filteredImages.size());
}
```

Return an output stream containing the results of applying a list of filters to each image in the input stream & storing the results in the file system

# of output stream elements may differ from the # of input stream elements

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
    .parallelStream()
    .filter(not(this::urlCached))
    .map(this::blockingDownload)
    .flatMap(this::applyFilters)
    .collect(toList());

  System.out.println(TAG
        + "Image(s) filtered = "
        + filteredImages.size());
}
```

```
Stream<Image> applyFilters
                    (Image image) {
  return mFilters
    .parallelStream()
    .map(filter ->
         makeFilterWithImage
          (filter,
           image).run())
}
```

Apply all filters to an image in parallel & store on the device

See imagestreamgang/streams/ImageStreamParallel.java

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
     .parallelStream()
     .filter(not(this::urlCached))
     .map(this::blockingDownload)
     .flatMap(this::applyFilters)
     .collect(toList());

  System.out.println(TAG
        + "Image(s) filtered = "
        + filteredImages.size());
}
```

collect() is a "reduction" operation that combines elements into one result

See docs.oracle.com/javase/8/docs/api/java/util/stream/Stream.html#collect

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

Trigger all intermediate operations

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
     .parallelStream()
     .filter(not(this::urlCached))
     .map(this::blockingDownload)
     .flatMap(this::applyFilters)
     .collect(toList());

  System.out.println(TAG
        + "Image(s) filtered = "
        + filteredImages.size());
}
```

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
     .parallelStream()
     .filter(not(this::urlCached))
     .map(this::blockingDownload)
     .flatMap(this::applyFilters)
     .collect(toList());

  System.out.println(TAG
        + "Image(s) filtered = "
        + filteredImages.size());
}
```

Create a list containing all the filtered & stored images

Implementing a Parallel Stream in ImageStreamGang

- We focus on processStream() in ImageStreamParallel.java

```
void processStream() {
  List<URL> urls = getInput();

  List<Image> filteredImages = urls
     .parallelStream()
     .filter(not(this::urlCached))
     .map(this::blockingDownload)
     .flatMap(this::applyFilters)
     .collect(toList());

  System.out.println(TAG
          + "Image(s) filtered = "
          + filteredImages.size());
}
```

Logs the # of images that were downloaded, filtered, & stored

End of Learn How to Implement Behaviors in the Java ParallelImageStream Gang Case Study