

Java Monitor Objects: Coordination Example Implementation



Douglas C. Schmidt
d.schmidt@vanderbilt.edu
www.dre.vanderbilt.edu/~schmidt

**Institute for Software
Integrated Systems
Vanderbilt University
Nashville, Tennessee, USA**



Learning Objectives in this Part of the Module



- Learn how to fix a buggy concurrent Java program using Java's wait & notify mechanisms, which provide *coordination*
- Visualize how Java monitor objects can be used to ensure mutual exclusion & coordination between threads running in a concurrent program
- Know how to program the Simple BlockingBoundedQueue in Java



Code Analysis of the SimpleBlockingBounded Queue Example

Code Analysis of SimpleBoundedBlockingQueue

- This class provides a simple synchronized blocking queue



See github.com/douglasraigschmidt/POSA/tree/master/ex/M3/Queues/SimpleBoundedBlockingQueue

Code Analysis of SimpleBoundedBlockingQueue

- This class provides a simple synchronized blocking queue

```
class SimpleBoundedBlockingQueue<E>  
    implements SimpleBlockingQueue<E>  
{  
    private List<E> mList;  
    private int mCapacity;
```

```
SimpleBoundedBlockingQueue  
    (int capacity)  
{  
    mList = new ArrayList<E>();  
    mCapacity = capacity;  
}  
...
```

See github.com/douglasraigschmidt/POSA/tree/master/ex/M3/Queues/SimpleBoundedBlockingQueue

Code Analysis of SimpleBoundedBlockingQueue

- This class provides a simple synchronized blocking queue

```
class SimpleBoundedBlockingQueue<E>  
    implements SimpleBlockingQueue<E>  
{  
    private List<E> mList;  
    private int mCapacity;
```

This internal state must be protected against race conditions

```
SimpleBoundedBlockingQueue  
    (int capacity)  
{  
    mList = new ArrayList<E>();  
    mCapacity = capacity;  
}  
...
```

See github.com/douglasraigschmidt/POSA/tree/master/ex/M3/Queues/SimpleBoundedBlockingQueue

Code Analysis of SimpleBoundedBlockingQueue

- This class provides a simple synchronized blocking queue

```
class SimpleBoundedBlockingQueue<E>  
    implements SimpleBlockingQueue<E>  
{  
    private List<E> mList;  
    private int mCapacity;
```



The constructor need not be protected against race conditions

```
SimpleBoundedBlockingQueue  
    (int capacity)  
{  
    mList = new ArrayList<E>();  
    mCapacity = capacity;  
}  
...
```

A constructor is only called once in one thread so there won't be race conditions

Code Analysis of SimpleBoundedBlockingQueue

- A thread can “wait” for a condition in a synchronized method



```
class SimpleBoundedBlockingQueue<E>
    implements SimpleBlockingQueue<E>
{
    ...

    public synchronized String take(){
        while (isEmpty())
            wait();

        final E e = mList.poll();

        notifyAll();
        return e;
    }

    public synchronized Boolean isEmpty(){
        return mList.isEmpty();
    }
    ...
}
```

See en.wikipedia.org/wiki/Guarded_suspension

Code Analysis of SimpleBoundedBlockingQueue

- A thread can “wait” for a condition in a synchronized method

```
class SimpleBoundedBlockingQueue<E>
    implements SimpleBlockingQueue<E>
{
    ...

    public synchronized String take() {
        while (isEmpty())
            wait();

        final E e = mList.poll();

        notifyAll();
        return e;
    }

    public synchronized Boolean isEmpty() {
        return mList.isEmpty();
    }
    ...
}
```

e.g., thread T_1 calls `take()`, which acquires the intrinsic lock & waits while the queue is empty

Code Analysis of SimpleBoundedBlockingQueue

- A thread can “wait” for a condition in a synchronized method

```
class SimpleBoundedBlockingQueue<E>
    implements SimpleBlockingQueue<E>
{
    ...


    public synchronized String take() {
        while (isEmpty())
            wait();

        final E e = mList.poll();

        notifyAll();
        return e;
    }

    public synchronized Boolean isEmpty() {
        return mList.isEmpty();
    }
    ...
}
```

Check if the list is empty

A light blue rectangular callout box with a black border contains the text "Check if the list is empty" in italics. Two black lines originate from the box: one points to the `isEmpty()` call inside the `while` loop of the `take()` method, and the other points to the `isEmpty()` method definition below.

Code Analysis of SimpleBoundedBlockingQueue

- A thread can “wait” for a condition in a synchronized method

```
class SimpleBoundedBlockingQueue<E>
    implements SimpleBlockingQueue<E>
{
    ...

    public synchronized String take() {
        while (isEmpty())
            wait();

        final E e = mList.poll();

        notifyAll();
        return e;
    }

    public synchronized Boolean isEmpty() {
        return mList.isEmpty();
    }
    ...
}
```

The isEmpty() method is synchronized, demonstrating the Java monitor object “reentrant mutex” semantics

See en.wikipedia.org/wiki/Reentrant_mutex

Code Analysis of SimpleBoundedBlockingQueue

- wait() should be called in a loop that checks whether the condition is true or not

```
class SimpleBoundedBlockingQueue<E>
    implements SimpleBlockingQueue<E>
{
    ...

    public synchronized String take() {
        while (isEmpty())
            wait();

        final E e = mList.poll();

        notifyAll();
        return e;
    }

    public synchronized Boolean isEmpty() {
        return mList.isEmpty();
    }
    ...
}
```

See docs.oracle.com/javase/tutorial/essential/concurrency/guardmeth.html

Code Analysis of SimpleBoundedBlockingQueue

- wait() should be called in a loop that checks whether the condition is true or not

- A thread can't assume a notification it receives is for *its* condition expression

```
class SimpleBoundedBlockingQueue<E>
    implements SimpleBlockingQueue<E>
{
    ...

    public synchronized String take() {
        while (isEmpty())
            wait();

        final E e = mList.poll();

        notifyAll();
        return e;
    }

    public synchronized Boolean isEmpty() {
        return mList.isEmpty();
    }
    ...
}
```

See stackoverflow.com/questions/37026/java-notify-vs-notifyall-all-over-again/3186336#3186336

Code Analysis of SimpleBoundedBlockingQueue

- wait() should be called in a loop that checks whether the condition is true or not
 - A thread can't assume a notification it receives is for *its* condition expression
 - It also can't assume the condition expression is true!

i.e., due to the inherent non-determinism of concurrency

```
class SimpleBoundedBlockingQueue<E>
    implements SimpleBlockingQueue<E>
{
    ...

    public synchronized String take() {
        while (isEmpty())
            wait();

        final E e = mList.poll();

        notifyAll();
        return e;
    }

    public synchronized Boolean isEmpty() {
        return mList.isEmpty();
    }

    ...
}
```

See en.wikipedia.org/wiki/Nondeterministic_algorithm

Code Analysis of SimpleBoundedBlockingQueue

- wait() should be called in a loop that checks whether the condition is true or not
 - A thread can't assume a notification it receives is for *its* condition expression
 - It also can't assume the condition expression is true!
- Must also guard against "spurious wakeups"
 - A thread might be awoken in wait() even if no thread called notify()/notifyAll()

```
class SimpleBoundedBlockingQueue<E>
    implements SimpleBlockingQueue<E>
{
    ...

    public synchronized String take() {
        while (isEmpty())
            wait();

        final E e = mList.poll();

        notifyAll();
        return e;
    }

    public synchronized Boolean isEmpty() {
        return mList.isEmpty();
    }

    ...
}
```

See en.wikipedia.org/wiki/Spurious_wakeup

Code Analysis of SimpleBoundedBlockingQueue

- A thread blocked on wait() won't continue until it's notified that the condition expression may be true

```
class SimpleBoundedBlockingQueue<E>
    implements SimpleBlockingQueue<E>
{
    ...

    public synchronized String take() {
        while (isEmpty())
            wait();

        final E e = mList.poll();

        notifyAll();
        return e;
    }

    public synchronized Boolean isEmpty() {
        return mList.isEmpty();
    }
    ...
}
```

Code Analysis of SimpleBoundedBlockingQueue

- A thread blocked on wait() won't continue until it's notified that the condition expression may be true

```
class SimpleBoundedBlockingQueue<E>
    implements SimpleBlockingQueue<E>
{
    ...

    public synchronized void put(E msg) {
        ...
        while (isFull())
            wait();

        mList.add(msg);
        notifyAll();
    }

    private synchronized boolean isFull() {
        return mList.size() >= mCapacity;
    }
    ...
}
```

e.g., thread T_2 calls put(), which acquires the intrinsic lock & adds an item to the queue so it's no longer empty

Code Analysis of SimpleBoundedBlockingQueue

- A thread blocked on wait() won't continue until it's notified that the condition expression may be true

```
class SimpleBoundedBlockingQueue<E>
    implements SimpleBlockingQueue<E>
{
    ...

    public synchronized void put(E msg) {
        ...
        while (isFull())
            wait();

        mList.add(msg);
        notifyAll();
    }

    private synchronized boolean isFull() {
        return mList.size() >= mCapacity;
    }
    ...
}
```

Assuming that thread T_1 is blocked in take() the queue won't be full!

Code Analysis of SimpleBoundedBlockingQueue

- A thread blocked on `wait()` won't continue until it's notified that the condition expression may be true

*thread T_2 calls `notifyAll()`,
which will wakeup thread T_1
that's blocking in `wait()`*

```
class SimpleBoundedBlockingQueue<E>
    implements SimpleBlockingQueue<E>
{
    ...

    public synchronized void put(E msg) {
        ...
        while (isFull())
            wait();

        mList.add(msg);
        notifyAll();
    }

    private synchronized boolean isFull() {
        return mList.size() >= mCapacity;
    }
    ...
}
```

Code Analysis of SimpleBoundedBlockingQueue

- A thread blocked on wait() won't continue until it's notified that the condition expression may be true

```
class SimpleBoundedBlockingQueue<E>
    implements SimpleBlockingQueue<E>
{
    ...

    public synchronized void put(E msg) {
        ...
        while (isFull())
            wait();

        mList.add(msg);
        notifyAll();
    }

    private synchronized boolean isFull() {
        return mList.size() >= mCapacity;
    }
    ...
}
```

Again, notifyAll() is used due to a Java monitor object only having a single wait queue..

See stackoverflow.com/questions/37026/java-notify-vs-notifyall-all-over-again/3186336#3186336

Code Analysis of SimpleBoundedBlockingQueue

- Several steps occur when a waiting thread is notified

```
class SimpleBoundedBlockingQueue<E>
    implements SimpleBlockingQueue<E>
{
    ...

    public synchronized String take() {
        while (isEmpty())
            wait();

        notifyAll();
        return mList.poll();
    }
}
```

Code Analysis of SimpleBoundedBlockingQueue

- Several steps occur when a waiting thread is notified
 - wakes up & obtains lock

```
class SimpleBoundedBlockingQueue<E>
    implements SimpleBlockingQueue<E>
{
    ...

    public synchronized String take() {
        while (isEmpty())
            wait();

        notifyAll();
        return mList.poll();
    }
}
```

Code Analysis of SimpleBoundedBlockingQueue

- Several steps occur when a waiting thread is notified
 - wakes up & obtains lock
- re-evaluates the condition expression

```
class SimpleBoundedBlockingQueue<E>
    implements SimpleBlockingQueue<E>
{
    ...

    public synchronized String take() {
        while (isEmpty())
            wait();

        notifyAll();
        return mList.poll();
    }
}
```

Code Analysis of SimpleBoundedBlockingQueue

- Several steps occur when a waiting thread is notified

- wakes up & obtains lock
- re-evaluates the condition expression
- continues after wait()

```
class SimpleBoundedBlockingQueue<E>
    implements SimpleBlockingQueue<E>
{
    ...

    public synchronized String take() {
        while (isEmpty())
            wait();

        notifyAll();
        return mList.poll();
    }
}
```

Calling notifyAll() before removing/returning the front item in the queue is ok since the monitor lock is held & only one method can be in monitor

Code Analysis of SimpleBoundedBlockingQueue

- Several steps occur when a waiting thread is notified
 - wakes up & obtains lock
 - re-evaluates the condition expression
 - continues after wait()
 - releases lock when it returns

```
class SimpleBoundedBlockingQueue<E>
    implements SimpleBlockingQueue<E>
{
    ...

    public synchronized String take() {
        while (isEmpty())
            wait();

        notifyAll();
        return mList.poll();
    }
}
```

End of Java Monitor Objects: Coordination Example Implementation